


PageSpeed Insights

Mobile



65 / 100 Speed

Should Fix:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://asumi.shinobi.jp/encount> (expiration not specified)
- <http://gijutsu.starfree.jp/base/mobile.png> (expiration not specified)
- <http://gijutsu.starfree.jp/css/change.css> (expiration not specified)
- <http://gijutsu.starfree.jp/css/slide.css> (expiration not specified)
- <http://gijutsu.starfree.jp/css/style.css> (expiration not specified)

Mobile

- <http://gijutsu.starfree.jp/images/bannermail.png> (expiration not specified)
- <http://gijutsu.starfree.jp/images/btnplus.png> (expiration not specified)
- <http://gijutsu.starfree.jp/images/fsizebg.png> (expiration not specified)
- <http://gijutsu.starfree.jp/images/headerbg.jpg> (expiration not specified)
- <http://gijutsu.starfree.jp/images/iconfacebook.png> (expiration not specified)
- <http://gijutsu.starfree.jp/images/icontwitter.png> (expiration not specified)
- <http://gijutsu.starfree.jp/images/logo.png> (expiration not specified)
- <http://gijutsu.starfree.jp/images/mark1.png> (expiration not specified)
- <http://gijutsu.starfree.jp/js/openclose.js> (expiration not specified)
- <http://gijutsu.starfree.jp/js/styleswitcher.js> (expiration not specified)
- <https://media.gssp.asia/ls/opticon.png> (expiration not specified)
- <https://media.gssp.asia/ls/opticontext.png> (expiration not specified)
- <https://js.gsspcln.jp/t/339/333/a1339333.js> (15 minutes)
- <https://js.ad-stir.com/js/adstir.js> (60 minutes)

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 4 blocking script resources and 2 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://gijutsu.starfree.jp/js/openclose.js>
- <http://gijutsu.starfree.jp/js/styleswitcher.js>

Mobile

- <http://adm.shinobi.jp/s/11b6136004b8b13ab7e018dad4fa79ab>
- <http://adm.shinobi.jp/st/s.js>

[Optimize CSS Delivery](#) of the following:

- <http://gijutsu.starfree.jp/css/style.css>
- <http://gijutsu.starfree.jp/css/slide.css>



Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 28.8KiB (68% reduction).

- Compressing <http://gijutsu.starfree.jp/css/style.css> could save 15.7KiB (75% reduction).
- Compressing <http://gijutsu.starfree.jp/> could save 5.8KiB (60% reduction).
- Compressing <http://gijutsu.starfree.jp/js/openclose.js> could save 2.7KiB (64% reduction).
- Compressing <http://s-rtb.send.microadinc.com/ad?spot=bba23cb10c8a5d84060ca8f0d1d04008&cb=microadCompass.AdRequestor.callback&url=http%3A%2F%2Fgijutsu.starfree.jp%2F&referrer=http%3A%2F%2Fgijutsu.starfree.jp%2F&cbt=210af30afc4092016895dccc96> could save 2.1KiB (58% reduction).
- Compressing <http://gijutsu.starfree.jp/js/styleswitcher.js> could save 1.2KiB (66% reduction).
- Compressing <http://gijutsu.starfree.jp/css/slide.css> could save 1.1KiB (63% reduction).
- Compressing <http://gijutsu.starfree.jp/css/change.css> could save 183B (38% reduction).

Mobile

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 14.2KiB (61% reduction).

- Minifying <http://gijutsu.starfree.jp/css/style.css> could save 13.1KiB (63% reduction).
- Minifying <http://gijutsu.starfree.jp/css/slide.css> could save 810B (46% reduction).
- Minifying <http://gijutsu.starfree.jp/css/change.css> could save 305B (62% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 2.5KiB (42% reduction).

- Minifying <http://gijutsu.starfree.jp/js/openclose.js> could save 2.2KiB (52% reduction).
- Minifying <http://gijutsu.starfree.jp/js/styleswitcher.js> could save 289B (16% reduction).

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 38KiB (18% reduction).

- Compressing <http://gijutsu.starfree.jp/images/headerbg.jpg> could save 21.7KiB (16% reduction).

Mobile

- Compressing <http://gijutsu.starfree.jp/images/bannermail.png> could save 7.6KiB (31% reduction).
- Compressing <http://gijutsu.starfree.jp/images/logo.png> could save 2.6KiB (13% reduction).
- Compressing <http://gijutsu.starfree.jp/images/icontwitter.png> could save 1.9KiB (30% reduction).
- Compressing <http://gijutsu.starfree.jp/base/mobile.png> could save 1.4KiB (11% reduction).
- Compressing <http://gijutsu.starfree.jp/images/btnplus.png> could save 1KiB (58% reduction).
- Compressing <http://gijutsu.starfree.jp/images/fsizebg.png> could save 925B (62% reduction).
- Compressing <https://media.gssp.asia/ls/opticon.png> could save 599B (48% reduction).
- Compressing <http://gijutsu.starfree.jp/images/mark1.png> could save 209B (37% reduction).



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

95 / 100 User Experience

Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `迷惑メール対策` and 5 others are close to other tap targets.
- The tap target `迷惑メール対策` and 5 others are close to other tap targets.
- The tap target `2014-2018 技術科自習室` is close to 1 other tap targets.
- The tap target `Web Design:Template-Party` is close to 1 other tap targets.

4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all

Mobile

devices. Learn more about [configuring viewports](#).

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



79 / 100 Speed

Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 26.7KiB (69% reduction).

Desktop

- Compressing <http://gijutsu.starfree.jp/css/style.css> could save 15.7KiB (75% reduction).
- Compressing <http://gijutsu.starfree.jp/> could save 5.8KiB (60% reduction).
- Compressing <http://gijutsu.starfree.jp/js/openclose.js> could save 2.7KiB (64% reduction).
- Compressing <http://gijutsu.starfree.jp/js/styleswitcher.js> could save 1.2KiB (66% reduction).
- Compressing <http://gijutsu.starfree.jp/css/slide.css> could save 1.1KiB (63% reduction).
- Compressing <http://gijutsu.starfree.jp/css/change.css> could save 183B (38% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://asumi.shinobi.jp/encount> (expiration not specified)
- <http://gijutsu.starfree.jp/base/mobile.png> (expiration not specified)
- <http://gijutsu.starfree.jp/css/change.css> (expiration not specified)
- <http://gijutsu.starfree.jp/css/slide.css> (expiration not specified)
- <http://gijutsu.starfree.jp/css/style.css> (expiration not specified)
- <http://gijutsu.starfree.jp/images/bannermail.png> (expiration not specified)
- <http://gijutsu.starfree.jp/images/fsize.png> (expiration not specified)
- <http://gijutsu.starfree.jp/images/fsizebg.png> (expiration not specified)
- <http://gijutsu.starfree.jp/images/fsizeon.png> (expiration not specified)
- <http://gijutsu.starfree.jp/images/headerbg.jpg> (expiration not specified)
- <http://gijutsu.starfree.jp/images/iconfacebook.png> (expiration not specified)
- <http://gijutsu.starfree.jp/images/icontwitter.png> (expiration not specified)

Desktop

- <http://gijutsu.starfree.jp/images/logo.png> (expiration not specified)
- <http://gijutsu.starfree.jp/images/mark1.png> (expiration not specified)
- <http://gijutsu.starfree.jp/js/openclose.js> (expiration not specified)
- <http://gijutsu.starfree.jp/js/styleswitcher.js> (expiration not specified)
- <https://img.shinobi.jp/analyze/dumbo/ads2/ad1left0.gif> (expiration not specified)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 14.2KiB (61% reduction).

- Minifying <http://gijutsu.starfree.jp/css/style.css> could save 13.1KiB (63% reduction).
- Minifying <http://gijutsu.starfree.jp/css/slide.css> could save 810B (46% reduction).
- Minifying <http://gijutsu.starfree.jp/css/change.css> could save 305B (62% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 2.5KiB (42% reduction).

- Minifying <http://gijutsu.starfree.jp/js/openclose.js> could save 2.2KiB (52% reduction).
- Minifying <http://gijutsu.starfree.jp/js/styleswitcher.js> could save 289B (16% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 2 blocking script resources and 2 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://gijutsu.starfree.jp/js/openclose.js>
- <http://gijutsu.starfree.jp/js/styleswitcher.js>

[Optimize CSS Delivery](#) of the following:

- <http://gijutsu.starfree.jp/css/style.css>
- <http://gijutsu.starfree.jp/css/slide.css>

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 56.6KiB (27% reduction).

- Compressing <http://gijutsu.starfree.jp/images/headerbg.jpg> could save 21.7KiB (16% reduction).
- Compressing and resizing <http://gijutsu.starfree.jp/images/logo.png> could save 15.9KiB (79% reduction).
- Compressing <http://gijutsu.starfree.jp/images/bannermail.png> could save 7.6KiB (31% reduction).

Desktop

- Compressing and resizing <http://gijutsu.starfree.jp/images/icontwitter.png> could save 4.8KiB (73% reduction).
- Compressing and resizing <http://gijutsu.starfree.jp/images/iconfacebook.png> could save 1.6KiB (73% reduction).
- Compressing <http://gijutsu.starfree.jp/base/mobile.png> could save 1.4KiB (11% reduction).
- Compressing <http://gijutsu.starfree.jp/images/sizeon.png> could save 1.2KiB (58% reduction).
- Compressing <http://gijutsu.starfree.jp/images/size.png> could save 1.2KiB (62% reduction).
- Compressing <http://gijutsu.starfree.jp/images/sizebg.png> could save 925B (62% reduction).
- Compressing <http://gijutsu.starfree.jp/images/mark1.png> could save 209B (37% reduction).



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).